

# MATERIAL SAFETY DATA SHEET

## SECTION I

### PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT: PARSONPOXY SEL-80HB – PART B** (Common name: Amine Curing Agent)

**MANUFACTURED BY: Parson Environmental Products, Inc.**  
PO Box 4474  
Reading, PA 19606

**EMERGENCY PHONE: 610-582-6060**  
**INFORMATION PHONE: 800-356-9023**

\*\*\*\*\*

INFOTRAC (800) 535-5053. This number is to be used only in the event of chemical emergencies involving a spill, leak, fire exposure, or accident involving chemicals.

## SECTION II

### COMPOSITION & INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NO.	WT %	OSHA PEL	ACGIH TLV
2-METHYLPENTANEDIAMINE	15520-10-2	>25	N.E.	N.E.
1, 3-BENZENEMETHANAMINE	1477-55-0	<25	N.E.	N.E.
4-TERTIARYBUTYLPHENOL	98-54-4	<40	N.E.	N.E.
NON HAZARDOUS SILICA INGREDIENTS	TS	<10	N.E.	N.E.

**T.S.C.A. Status - OK on all above components.**

## SECTION III

### PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE	:viscous liquid	SPECIFIC GRAVITY (H2O=1.0)	:1.0
PHYSICAL STATE	:liquid	DENSITY (LB/GAL)	:N/A
VAPOR PRESSURE	:N/A mm Hg.	MELTING POINT (°C)	:N/A
ODOR	:mild	EVAPORATION RATE	:N/A
VAPOR DENSITY	:N/A	(Butyl Acetate = 1)	
WATER SOLUBILITY	:none	V.O.C.	:0.0 lb/gal

## SECTION IV

### STABILITY & REACTIVITY

STABILITY	:Stable.
CONDITIONS TO AVOID	:Excessive heating over long periods of time degrades the resin.
INCOMPATIBILITY	:Epoxy resins, isocyanates, strong acid or bases
HAZARDOUS DECOMPOSITION BYPRODUCTS:	By fire: carbon dioxide, carbon monoxide, nitrogen oxide, aldehydes.
HAZARDOUS POLYMERIZATION	:Will not occur.
CONDITIONS TO AVOID	:Uncontrolled reaction with amines.

## SECTION V

### FIRE & EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP METHOD)	:>200°F	LOWER EXPLOSIVE LIMIT	:N/A
		UPPER EXPLOSIVE LIMIT	:N/A
EXTINGUISHING MEDIA	:Foam, CO <sub>2</sub> , dry chemical, water spray		
SPECIAL FIRE FIGHTING PROCEDURES	:Wear full protective equipment including self contained breathing apparatus.		
UNUSUAL FIRE AND EXPLOSION HAZARDS	:Combustion products may be toxic. Cool storage containers with water spray to prevent pressure buildup which could rupture containers.		

## **SECTION VI**

### **HEALTH HAZARD DATA**

ROUTES OF ENTRY: INHALATION? yes SKIN? yes INGESTION? yes

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Irritation of skin.

HEALTH HAZARDS (ACUTE AND CHRONIC): ACUTE: Irritation of skin and dermatitis.

CHRONIC: Repeated overexposure will cause severe skin irritation, dermatitis and sensitization. Sensitized persons may experience rapid irritation of skin upon exposure.

CARCINOGENICITY: NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY OVEREXPOSURE:

Allergy, skin disorders.

## **SECTION VII**

### **FIRST AID PROCEDURES**

EYES: Flush with water, holding lids open for 15 minutes or more. Call physician for advice if necessary.

SKIN: Promptly wash with soap and water. Do not wash with solvents. Seek medical advice if irritation develops or persists.

INHALATION: Move person to fresh air if effects occur. If needed, give oxygen or artificial respiration to improve breathing. Consult physician.

INGESTION: Get medical attention immediately. Never give liquids to an unconscious or convulsing person.

## **SECTION VIII**

### **PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear protective clothing to prevent exposure. Stop spill and dike to prevent spreading. Cover spill with absorbent materials and collect into containers. Clean contaminated area with detergent and water or a steam cleaner for best results.

WASTE DISPOSAL METHOD: Dispose in accordance with all Federal, State and Local requirements.

HANDLING AND STORAGE PRECAUTIONS: Keep containers tightly closed when not in use.

OTHER PRECAUTIONS: None known.

## **SECTION IX**

### **EXPOSURE CONTROL & PERSONAL PROTECTION**

RESPIRATORY PROTECTION: Provide adequate exhaust ventilation and/or NIOSH approved amine cartridge respirator.

VENTILATION: LOCAL EXHAUST: if needed SPECIAL: none known

MECHANICAL (GENERAL): Adequate exhaust ventilation must exhaust away from the applicator.

PROTECTIVE GLOVES: natural rubber or neoprene gloves

EYE PROTECTION: splash goggles or face shield

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use rubber apron, face shield and appropriate clothing to prevent contact with skin. Launder contaminated clothing before reuse. Discard contaminated leather shoes and canvas sneakers. Protective skin creams help cleaning with soap and water, however, gloves must still be worn. An eye wash station or an adequate supply of clean water must be available at the work area.

WORK/HYGIENIC PRACTICES: Enforce careful handling to prevent splashing. Wash thoroughly after handling.

## **SECTION X**

### **OTHER INFORMATION**

HMIS RATINGS: HEALTH :3  
FLAMMABILITY :1  
REACTIVITY :0  
PERSONAL PROTECTION :F

**SECTION XI**

**REGULATORY INFORMATION**

---

PROPER D.O.T SHIPPING NAME:

AMINES LIQUID, CORROSIVE N.O.S. UN2735, 8, PG III  
(CONTAINS 1,3 BENZENEMETHANAMINE)

SARA SECTION 301-304 (EHS):

<b>COMPONENT</b>	<b>CAS #</b>	<b>RQ</b>
NONE		

SARA SECTION 311-312

IMMEDIATE HEALTH HAZARD  
DELAYED HEALTH HAZARD

SARA SECTION 313 :

<b>COMPONENT</b>	<b>CAS #</b>	<b>% BY WT</b>
------------------	--------------	----------------

**TSCA STATUS: ALL COMPONENTS ARE LISTED ON TSCA INVENTORY**

**KEY TO ABBREVIATIONS:**

N.E. = none established

PREPARED BY: CRAIG GAUL  
ORIGINAL DATE: 1-19-07

TITLE: PRESIDENT  
REVISED DATE: NA

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.